







SEATING AT A GLANCE

Table of Contents

4 Task Seating

- 4 CXO
- 7 WXO
- 9 IC2
- 12 LXO
- 14 VXO

16 Executive Seating

- 16 Presider
- 18 CXO
- 21 EC3
- 24 Manno
- 26 Manno Timbre

28 Lounge Seating

- 28 Trullo
- 32 Lakeshore

36 Conference Seating

- 36 MXO
- 38 Reward
- 41 Symbol
- 43 Tuxedo
- 45 VXO (Loop Arms)
- 47 EC1
- 49 EC3

52 Specialty Seating

- 52 24/7hd
- 55 CXOhd
- 58 Sherman HD
- 61 LXO Stool
- 63 VXO Stool
- 65 NXO

67 Guest Seating

67 OXO



6200 CXO Task Chair

The CXO[™] is the most comfortable chair in the world. Enersorb[™] foam seat and headrest, supportive mesh back, 4D adjustable lumbar support, and multi-adjustable arms are some of the features that make this our best-selling chair.





6200 CXO Task Chair

FEATURES



MODEL 6200D

A. ADJUSTABLE HEADREST

Optional headrest with Enersorb[™] foam adjusts up/down and pivots backwards with an innovative coat hook built into it's design. Headrest is field installable. (Model 6200D)

B. MESH BACK

Mesh back with ABLEX[™] patterned weave provides generous lumbar support while allowing dynamic movement. Air flows freely through this breathable mesh for added comfort. Mesh encapsulated by frame back.

C. LUMBAR SUPPORT

The contoured lumbar support pad with Enersorb[™] foam can be easily adjusted up/ down and in/out for personalized support and comfort. Static lumbar support located at 5.5" to 12.5" above compressed seat height. Independent adjustable lumbar support with 4" vertical range and 2" depth.

D. 4D ARMRESTS

Arms feature pivoting arm pads with a 30° range of motion inward and outward, height (4.5"), width (3.5") and depth adjustment (4").

E. ENERSORB™

Enersorb[™] memory foam seat, lumbar and headrest disperses applied pressure evenly to reduce pressure points.

F. MECHANISM

Slow release synchronous knee tilt mechanism, complete with intuitive side tension control, infinite position tilt lock, height adjustment pneumatic lift and an intuitive integrated seat slider for depth adjustment.



Model 6200

Overall Width (Outer armrest to outer armrest)	26" - 29"
Overall Depth (Front seat to back of back rest)	22" - 24"
Overall Height (Floor to top of back rest)	37.5" - 42.5"
Seat Width	21″
Back Width	22"
Back Height (From compressed seat)	23"
Arm Width (Inner arm pad to inner arm pad)	17" - 20.5"
Arm Height (Compressed seat to top of armrest)	7" - 11"
•	7" - 11" 16" - 21"



Overall Width (Outer armrest to outer armrest)	26" - 29"
Overall Depth (Front seat to back of back rest)	22" - 24"
Overall Height (Floor to top of back rest)	46" - 52"
Seat Width	21″
Back Width	22"
Back Height (From compressed seat)	30" - 32"
Arm Width (Inner arm pad to inner arm pad)	17" - 20.5"
Arm Height (Compressed seat to top of armrest)	7" - 11"
Seat Height	16" - 21"
Seat Depth	19" - 22"







5800 WXO Task Chair

WXO[™] the perfect working chair. It sports a refined, sleek profile with distinctive comfort and support. Its waterfall seat and lumbar support make it a top ergonomic, lightweight task chair.





5800 WXO Task Chair

FEATURES



A. LUMBAR SUPPORT

Static Lumbar Support Located at 5.5" to 14" above compressed seat height. Built in integral flex lumbar.

B. MECHANISM

Weight Sensing Mechanism- Intelligent synchronous TORGLIDER™ balanced recline mechanism automatically provides the right amount of support through the full range of recline motion, regardless of user size and weight. No tension spring to adjust. Multi-position tilt lock adjustment and pneumatic height adjustment.

C. ABLEX MESH

Allows air to pass freely and moves with you, providing dynamic comfort in all environments.

D. ARMS AND ARM PADS

Arms feature pivoting polyurethane arm pads with a 30° range of motion inward and outward, height adjustment (4"), manual width adjustment of 1" per side.

E. BASE AND CASTERS

5 Star Graphite Base with dual mag wheel carpet casters.

Note: multiple aesthetic and functional options available.

Overall Width (Outer Arment දනු හිස් armrest)	25"	E (
Overall Depth (Front seat to back of back rest)	22"	4 (
Overall Height (Floor to top of back rest)	35"- 40"	4 (
Seat Width	20"	S
Back Width	20"	S

Back Height (From compressed seat)	21"
Arm Width (Inner arm pad to inner arm pad)	18" - 20"
Arm Height (Compressed seat to top of armrest)	6" - 10"
Seat Height	16" - 21"
Seat Depth	20"

DIMENSIONS

Model 5800

7300 IC2 Task Chair

Perfectly balanced with smooth adjustments. IC2[™] sets ergonomic and comfort standards that are second to none. Its curved, sleek design has been lauded by art specialists and users alike. It is lightweight, elegant, and functional.







7300

7300D

7300-INT



7300 IC2 Task Chair

FEATURES



MODEL 7300D-WH

A. OPTIONAL ADJUSTABLE HEADREST

Headrest can be adjusted up, down, or angled to suit the user's preference. Can be field installed. (Model 7300D)

B. INTEGRATED HEADREST

Fixed integrated headrest provides extended back, neck, and head support. (Available on model 7380 only)

C. NEBULA™ MESH BACKING

Provides dynamic support and allows airflow, providing a comfortable sit in any environment.

D. 4D ARMRESTS

Arms feature pivoting arm pads with a 30° total range of motion inward and outward, height (4"), width (3") and depth adjustment (31/2"). Polyurethane arm pad for comfort and durability.

E. GALILEO MECHANISM

Slow-release pneumatic height adjustment with infinite tilt lock, and back tension control.

F. INTEGRATED SEAT SLIDER

Dual lever. Slides back and forward for those requiring more or less leg support.

G. LUMBAR SUPPORT

Static Lumbar Support Located at 5½" to 18" above compressed seat height. Independent adjustable lumbar support with 5" vertical range and 1" depth.

H. BASE & CASTERS

5-prong, heavy-duty polished aluminum base with standard 3" carpet casters.

Note: multiple aesthetic and functional options available.



Models 7300, 7300UFST, 7300UF

Overall Width (Outer armrest to outer armrest)	25.5" - 28"
Overall Depth (Front seat to back of back rest)	21" - 23"
Overall Height (Floor to top of back rest)	38" - 43"
Seat Width	19"
Back Width	18"
Back Height	25″
(From compressed seat)	20
-	18" - 20"
(From compressed seat) Arm Width	
(From compressed seat) Arm Width (Inner arm pad to inner arm pad) Arm Height	18" - 20"

Models 7300D, 7300DUFST, 7300DUF

Overall Width (Outer armrest to outer armrest)	25.5" - 28"
Overall Depth (Front seat to back of back rest)	21" - 23"
Overall Height (Floor to top of back rest)	43" - 51"
Seat Width	19"
Back Width	18″
Back Height	31.5" - 34"
(From compressed seat)	
(From compressed seat) Arm Width (Inner arm pad to inner arm pad)	18" - 20"
Arm Width	18" - 20" 6" - 10"
Arm Width (Inner arm pad to inner arm pad) Arm Height	





6000 LXO Task Chair

One chair, multiple functions. Perfect for working, meeting, or training. The LXO's[™] lightweight and well-proportioned design is the new standard for ergonomic affordable seating.





6000 LXO Task Chair

FEATURES



DIMENSIONS

Model 6000

Overall Width (Outer armrest to outer armrest)	26"
Overall Depth (Front seat to back of back rest)	21"
Overall Height (Floor to top of back rest)	35"- 40"
Seat Width	20"
Back Width	18.5"

A. LUMBAR SUPPORT

Static Lumbar Support Located at 5.5" to 15" above compressed seat height. Back Features Ablex Mesh with built-in integral flex lumbar.

B. MECHANISM

Synchronous tilt mechanism with multi-position tilt-lock, pneumatic height adjustment, tension control, and seat depth adjustment.

C. ABLEX MESH

Allows air to pass freely and moves with you, providing dynamic comfort in all environments.

D. ARMS

Easy to use, height adjustable arms with intuitive finger-tip trigger for individual comfort and support. The arms can be manually adjusted for horizontal width. Super soft polyurethane arm pads for comfort.

E. BASE AND CASTERS

5 prong heavy duty nylon base. 2" mag wheel carpet casters .

Note: multiple aesthetic and functional options available.

Back Height (From compressed seat)	22.5″
Arm Width (Inner arm pad to inner arm pad)	18" - 20"
Arm Height (Compressed seat to top of armrest)	7.5" - 11.5"
Seat Height	16" - 21"
Seat Depth	19" - 21"

Ì.

7280 VXO Task Chair

The VXO[™] offers a simple, lightweight design that delivers remarkable comfort and dynamic support. Its easy to adjust lumbar support keeps you focused on what's at hand.



7280

7280-L



Virginia Correctional Enterprises

7280 VXO Task Chair

FEATURES



A. LUMBAR SUPPORT

Static Lumbar Support Located at 5.5" to 14" above compressed seat height. Independent adjustable lumbar support with 4" vertical range.

B. MECHANISM

Swivel tilt mechanism with single position tilt lock and tilt tension control. (Optional multi-tilt mechanism available)

C. NEBULA MESH

Opaque Nebula Mesh back.

D. ARMS AND ARM PADS

Spring loaded height adjustable arms (4" range) with polyurethane arm pads for comfort. Optional fixed cantilever arms.

E. BASE AND CASTERS

5 Star Heavy Duty Nylon Base with 2" carpet casters.

DIMENSIONS

Model 7280

Overall Width (Outer Model 2ରୁ ବ୍ୟୁଟେ armrest)	25″
Overall Depth (Front seat to back of back rest)	22"
Overall Height (Floor to top of back rest)	34"- 39"
Seat Width	20"
Back Width	18"

Back Height (From compressed seat)	20"
Arm Width (Inner arm pad to inner arm pad)	19"
Arm Height (Compressed seat to top of armrest)	6" - 10"
Seat Height	17" - 22"
Seat Depth	19"

7700 PRESIDER Executive Chair

The Presider's smooth upholstery and thick-backed design provide an authoritative finish to office, conference, and meeting spaces. With its top-notch ergonomic support, the Presider is an outstanding chair with an affordable price tag.





7700 PRESIDER Executive Chair

FEATURES



A. ADJUSTABLE ARMS

Height adjustable arms.

B. LUMBAR SUPPORT

Located at 5.5" to 14" above compressed seat height for both models. Model 7700D-A has built in thoracic support located at 23" to 29" above compressed seat height.

C. MECHANISM

Synchronous knee tilt mechanism, complete with intuitive tension control, multi-position tilt lock and pneumatic lift height adjustment.

D. BASE AND CASTERS

5 Star Black Base with carpet casters.

Note: multiple aesthetic and functional options available.

DIMENSIONS

Model 7700D

Overall Width (Outer Modes 2355 er armrest)	28″
Overall Depth (Front seat to back of back rest)	24"
Overall Height (Floor to top of back rest)	42"- 50"
Seat Width	22"
Back Width	21"

Back Height (From compressed seat)	29"
Arm Width (Inner arm pad to inner arm pad)	19"
Arm Height (Compressed seat to top of armrest)	7" - 11.5"
Seat Height	16" - 21"
Seat Depth	21"

Virginia Correctional Enterprises

6200 CXO Executive Chair

The CXO[™] is the most comfortable chair in the world. Enersorb[™] foam seat and headrest, supportive mesh back, 4D adjustable lumbar support, and multi-adjustable arms are some of the features that make this our best-selling chair.





6200 CXO Executive Chair

FEATURES



MODEL 6200D

A. ADJUSTABLE HEADREST

Optional headrest with Enersorb[™] foam adjusts up/down and pivots backwards with an innovative coat hook built into it's design. Headrest is field installable. (Model 6200D)

B. MESH BACK

Mesh back with ABLEX[™] patterned weave provides generous lumbar support while allowing dynamic movement. Air flows freely through this breathable mesh for added comfort. Mesh encapsulated by frame back.

C. LUMBAR SUPPORT

The contoured lumbar support pad with Enersorb[™] foam can be easily adjusted up/ down and in/out for personalized support and comfort. Static lumbar support located at 5.5" to 12.5" above compressed seat height. Independent adjustable lumbar support with 4" vertical range and 2" depth.

D. 4D ARMRESTS

Arms feature pivoting arm pads with a 30° range of motion inward and outward, height (4.5"), width (3.5") and depth adjustment (4").

E. ENERSORB™

Enersorb[™] memory foam seat, lumbar and headrest disperses applied pressure evenly to reduce pressure points.

F. MECHANISM

Slow release synchronous knee tilt mechanism, complete with intuitive side tension control, infinite position tilt lock, height adjustment pneumatic lift and an intuitive integrated seat slider for depth adjustment.



Model 6200

Overall Width (Outer armrest to outer armrest)	26" - 29"
Overall Depth (Front seat to back of back rest)	22" - 24"
Overall Height (Floor to top of back rest)	37.5" - 42.5"
Seat Width	21″
Back Width	22"
Back Height (From compressed seat)	23"
Arm Width (Inner arm pad to inner arm pad)	17" - 20.5"
Arm Height (Compressed seat to top of armrest)	7" - 11"
•	7" - 11" 16" - 21"



Overall Width (Outer armrest to outer armrest)	26" - 29"
Overall Depth (Front seat to back of back rest)	22" - 24"
Overall Height (Floor to top of back rest)	46" - 52"
Seat Width	21″
Back Width	22"
Back Height (From compressed seat)	30" - 32"
Arm Width (Inner arm pad to inner arm pad)	17" - 20.5"
Arm Height (Compressed seat to top of armrest)	7" - 11"
Seat Height	16" - 21"
Seat Depth	19" - 22"







335 EC3 Executive Chair

The EC3 evokes a clean aesthetic and polished feel. With it's full-back and spring support system built into the molded foam, the EC3 combines ergonomic support with modern style.



335

335D



335D-A



335 EC3 Executive Chair

FEATURES



A. INTERGRATED HEADREST

Extra support for your neck and back to ease bodily fatigue. (Model 335D)

B. LUMBAR SUPPORT

Full back spring system built into the molded foam for dynamic support. Lumbar support from 5.5" to 19" range (Model 335 and 335D) provides upper thoracic (23"-30").

C. POLISHED ALUMINUM ARMS

Sleek, contoured arms with polyurethane or optional leather/vinyl arm pads provide user comfort and support.

D. BASE AND CASTERS

5-prong, polished aluminum base with 3" dual-wheel carpet casters.

E. MECHANISM

Our sleek, synchro-tilt swivel mechanism features multi-position tilt lock with slow release, pneumatic height adjustment, and side tension control.

F. OPTIONAL 3D ADJUSTABLE ARMS

Arms are height-adjustable with lockable swivel and forward/backward arm pad adjustment. Arms are capped with polyurethane arm pads for durability and support. (Model 335D-A)

MODEL 335D



Model 335

Overall Width (Outer armrest to outer armrest)	25"
Overall Depth (Front seat to back of back rest)	22"
Overall Height (Floor to top of back rest)	37.5" - 40.75"
Seat Width	20"
Back Width	19"
Back Height (From compressed seat)	23"
Arm Width (Inner arm pad to inner arm pad)	20"
Arm Height (Compressed seat to top of armrest)	Fixed Arm - 9" Adjustable Arm - 8"-12"
Seat Height	16.5"-20"
Seat Depth	19"



Model 335D

Overall Width (Outer armrest to outer armrest)	25"
Overall Depth (Front seat to back of back rest)	22"
Overall Height (Floor to top of back rest)	44" - 47.5"
Seat Width	20"
Back Width	19"
Back Height (From compressed seat)	30"
Arm Width (Inner arm pad to inner arm pad)	20"
Arm Height (Compressed seat to top of armrest)	Fixed Arm - 9" Adjustable Arm - 8"-12"
Seat Height	16.5"-20"
Seat Depth	19"





8600 MANNO Executive Chair

The Manno is classic in appearance, yet modern in design. It has graceful, theatrical lines paired with undeniable comfort for an executive finish.



8600 MANNO Executive Chair

FEATURES



A. LUMBAR SUPPORT

Static Lumbar Support located at 4" to 14" above compressed seat height.

B. MECHANISM

Pneumatic height adjustment; Synchronous tilt swivel mechanism with infinite tilt lock and tension control.

C. ENERSORB™

Energy absorbing ENERSORB[™] in seat and back for comfortable ergonomic support--reduces sitting fatigue by minimizing pressure points, increases blood circulation, and promotes good posture

D. ARMS

...

E. BASE AND CASTERS

5 prong heavy duty nylon base.

DIMENSIONS

Model 8600D

Overall Width (Outer Modes 2355 er armrest)	28″
Overall Depth (Front seat to back of back rest)	27"
Overall Height (Floor to top of back rest)	44.5"- 48.5"
Seat Width	20.5″
Back Width	20.5″

Back Height (From compressed seat)	27.5"
Arm Width (Inner arm pad to inner arm pad)	22"
Arm Height (Compressed seat to top of armrest)	
Seat Height	18" - 22"
Seat Depth	19"

Virginia Correctional Enterprises

8660 MANNO TIMBRE Executive Chair

The Manno Timbre is classic in appearance, yet modern in design. It has graceful, theatrical lines paired with undeniable comfort for an executive finish. Manno Timber offers hand crafted intricately detailed wood finishes that provides any office an understated allure.



8660D-WP-CY



8660 MANNO TIMBRE Executive Chair

FEATURES



A. LUMBAR SUPPORT

Static Lumbar Support located at 4" to 14" above compressed seat height.

B. MECHANISM

Pneumatic height adjustment; Synchronous tilt swivel mechanism with infinite tilt lock and tension control.

C. ENERSORB™

Energy absorbing ENERSORB™ in seat and back for comfortable ergonomic support--reduces sitting fatigue by minimizing pressure points, increases blood circulation, and promotes good posture

D. WOOD FINISH

•••

E. BASE AND CASTERS

5 prong heavy duty wooden base.

DIMENSIONS

Model 8660D-WP-CY

Overall Width (Outer armrest to outer armrest)	28″
Overall Depth (Front seat to back of back rest)	27"
Overall Height (Floor to top of back rest)	44.5"- 48.5"
Seat Width	21.5″
Back Width	22"

Back Height (From compressed seat)	26.5"
Arm Width (Inner arm pad to inner arm pad)	22"
Arm Height (Compressed seat to top of armrest)	
Seat Height	18" - 22"
Seat Depth	19.5" - 20"

3000 TRULLO Lounge Chair

The Trullo provides semi-private seating with fully upholstered, high back and side panels. Available in solid or dual-tone upholstery with optional built-in power/USB socket, its a workstation and a chair, all in one. Find your focus.



3000 TRULLO Lounge Chair

FEATURES



A. SEAT AND BACK

Designed with thick, dual-panels that are fully upholstered to help you filter unwanted ambiance.

B. ELECTRIC OUTLETS

Optional power outlet and dual USB ports so you'll never run out of battery.

C. STYLISH TAPERED LEGS

Sturdy aluminum legs, coated with silver proxy and plastic glides.

D. MODULAR CONSTRUCTION

Parts that snap and lock into place - no tools required. Easy to move, assemble, and replace promoting longevity of use.



MODEL 3001



Model 3001

Overall Width (Outer panel to outer panel)	36.5"
Overall Depth (Front seat to back of back rest)	30"
Overall Height (Floor to top of back rest)	47"
Seat Cushion Width	30.5"
Back Width per Seat	30.5"
Back Height (From compressed seat)	33"
Seat Height	18"
Seat Depth	20.5"
Clearance between Panels	31"



Model 3002

Overall Width (Outer panel to outer panel)	55"
Overall Depth (Front seat to back of back rest)	30"
Overall Height (Floor to top of back rest)	47"
Seat Cushion Width	24.5"
Back Width per Seat	24.5"
Back Height (From compressed seat)	33"
Seat Height	18"
Seat Depth	20.5"
Clearance between Panels	49"





Model 3003

Overall Width (Outer panel to outer panel)	79.5″
Overall Depth (Front seat to back of back rest)	30"
Overall Height (Floor to top of back rest)	47"
Seat Cushion Width	24.5"
Back Width per Seat	24.5″
Back Height (From compressed seat)	33"
Seat Height	18″
Seat Depth	20.5″
Clearance between Panels	73.5″





1300 LAKESHORE Lounge Chair

Sleek never goes out of style. The Lakeshore's striking, tailored lines and low back make it a statement piece.



1301



1302



1303



1300 LAKESHORE Lounge Chair

FEATURES



A. DESIGNED FOR COMFORT

High-density, high-resiliency foam for durability and comfort.

B. ECO FRIENDLY

Steel frame is recyclable, upholstery is easily removable, and foam is CFC-free.

C. SLEEK FINISH

Finished with high-impact silver epoxy powder coat, electro-statically applied for corrosion resistance.

MODEL 1301



Model 1301

Overall Width (Outer panel to outer panel)	39"
Overall Depth (Front seat to back of back rest)	34"
Overall Height (Floor to top of back rest)	29"
Seat Cushion Width	24.5"
Back Width per Seat	24.5"
Back Height (From compressed seat)	13.5″
Seat Height	18.5"
Seat Depth	21″



Model 1302

Overall Width (Outer panel to outer panel)	68"
Overall Depth (Front seat to back of back rest)	34"
Overall Height (Floor to top of back rest)	29"
Seat Cushion Width	24.5"
Back Width per Seat	24.5"
Back Height (From compressed seat)	13.5″
Seat Height	18.5"
Seat Depth	21"





Model 1303

Overall Width (Outer panel to outer panel)	92.5"
Overall Depth (Front seat to back of back rest)	34"
Overall Height (Floor to top of back rest)	29"
Seat Cushion Width	24.5"
Back Width per Seat	24.5"
Back Height (From compressed seat)	13.5″
Seat Height	18.5"
Seat Depth	21"





5900 MXO Conference Chair

The MXO[™] is an innovative solution for meeting rooms, conference rooms, and training. Its pneumatic gas lift automatically returns the chair to centered position and uniform height when the user stands up.




5900 MXO Conference Chair

FEATURES



A. LUMBAR SUPPORT

Static Lumbar Support Located at 5.5" to 16" above compressed seat height. Back Features Ablex Mesh with built integral flex lumbar.

B. MECHANISM

Swivel tilt mechanism with auto-return and gas lift height adjustment.

C. ABLEX MESH

Allows air to pass freely and moves with you, providing dynamic comfort in all environments.

D. ARMS

Contoured fixed height polyurethane arm rests designed to fit under standard table height.

E. BASE AND CASTERS

5 prong heavy duty nylon base. 2" mag wheel carpet casters .

Note: multiple aesthetic and functional options available.

Overall Width (Outer provest 23 Setter armrest)	25"	Back Height (From compressed seat)
Overall Depth (Front seat to back of back rest)	21"	Arm Width (Inner arm pad to inner arm pad)
Overall Height (Floor to top of back rest)	33"- 38"	Arm Height (Compressed seat to top of armrest)
Seat Width	20"	Seat Height
Back Width	19"	Seat Depth

DIMENSIONS

Model 5900

Overall Width

21"

19"

8"

16" - 21"

18.5"

4800 REWARD Conference Chair

The Reward is an affordable executive chair that combines ergonomic comfort support with a plush appearance. It is comfortable and stylish, perfect as an office, task, or guest chair.





4800 REWARD Conference Chair

FEATURES



A. BACK

One piece seat and back shell for durability.

B. PILLOW UPHOLSTERY

A pillow upholstery technique is used with vinyl, leather or leather plus to provide a wrinkled, plush appearance.

C. FIXED ARMRESTS

Injection molded nylon

D. MECHANISM

Swivel tilt mechanism with tilt lock, pneumatic height adjustment and tension control.

E. BASE AND CASTERS

5-prong, heavy-duty nylon base with 2" carpet casters.

MODEL 4800D



DIMENSIONS

Model 4800

Overall Width (Outer armrest to outer armrest)	26"
Overall Depth (Front seat to back of back rest)	27"
Overall Height (Floor to top of back rest)	35.5" - 39.5"
Seat Width	20"
Back Width	20"
Back Height (From compressed seat)	22"
Arm Width (Inner arm pad to inner arm pad)	21.5"
Arm Height (Compressed seat to top of armrest)	9"
Seat Height	17" - 21"
	20"



Model 4800D

Overall Width (Outer armrest to outer armrest)	26"
Overall Depth (Front seat to back of back rest)	27"
Overall Height (Floor to top of back rest)	41" - 45"
Seat Width	20"
Back Width	20"
Back Height (From compressed seat)	29"
Arm Width (Inner arm pad to inner arm pad)	21.5"
Arm Height (Compressed seat to top of armrest)	9"
Seat Height	17" - 21"
Seat Depth	20"





7100 SYMBOL Conference Chair

The Symbol's sleek profile is generous in size and style. With an elegant leather pillow back and seat, it provides luxurious comfort for any working environment.





7100 SYMBOL Conference Chair

FEATURES



A. SLEEK PROFILE & PILLOW UPHOLSTERY

- **B. POLYURETHANE ARM PADS**
- C. HEIGHT ADJUSTABLE ARMS

D. SEAT DEPTH & PNEUMATIC HEIGHT ADJUSTMENT

E. 1-POSITION TILT LOCK

F. TENSION CONTROL

G. BASE AND CASTERS

5-prong, heavy-duty nylon base.

Note: multiple aesthetic and functional options available.

DIMENSIONS

Model 7100

Overall Width (Outer Model 23 geter armrest)	28″
Overall Depth (Front seat to back of back rest)	27"
Overall Height (Floor to top of back rest)	38"- 41.5"
Seat Width	19"
Back Width	22"

Back Height (From compressed seat)	21.5″
Arm Width (Inner arm pad to inner arm pad)	
Arm Height (Compressed seat to top of armrest)	
Seat Height	15" - 20.5"
Seat Depth	19.5"

3500 TUXEDO Conference Chair

Tuxedo provides a contemporary touch to office and meeting spaces. With its glossy upholstery and high degree of mobility, it offers a polished look.





3500 TUXEDO Conference Chair

FEATURES



A. LUMBAR SUPPORT

Static Lumbar Support Located at 5.5" to 14" above compressed seat height.

B. MECHANISM

Pneumatic height adjustment; Synchronous knee tilt mechanism with infinite tilt lock and tension control. Seat slider depth adjustment range 2.5"

C. ENERSORB™

Energy absorbing ENERSORB™ in seat and back for comfortable ergonomic support--reduces sitting fatigue by minimizing pressure points, increases blood circulation, and promotes good posture

D. ARMS

Standard height adjustable push button control arms (3.5" range) with polyurethane arm pads height adjustable, or without arms

E. BASE AND CASTERS

5 prong heavy duty nylon base. 2" dual wheel casters.

Note: multiple aesthetic and functional options available.

Overall Width (Outer අඟයක් න හේස් armrest)	25.5"	E (
Overall Depth (Front seat to back of back rest)	26"	4
Overall Height (Floor to top of back rest)	38"	4 (
Seat Width	20"	S
Back Width	20"	

Back Height (From compressed seat)	22"
Arm Width (Inner arm pad to inner arm pad)	19.5"
Arm Height (Compressed seat to top of armrest)	8" - 11.5"
Seat Height	17.5" - 22"
Seat Depth	20"

DIMENSIONS

Model 3500

7280 VXO Conference Chair

The VXO[™] offers a simple, lightweight design that delivers remarkable comfort and dynamic support. Its easy to adjust lumbar support keeps you focused on what's at hand.



7280 VXO Conference Chair



A. LUMBAR SUPPORT

Static Lumbar Support Located at 5.5" to 14" above compressed seat height. Independent adjustable lumbar support with 4" vertical range.

B. MECHANISM

Swivel tilt mechanism with single position tilt lock and tilt tension control. (Optional multi-tilt mechanism available)

C. NEBULA MESH

Opaque Nebula Mesh back.

D. ARMS AND ARM PADS

Spring loaded height adjustable arms (4" range) with polyurethane arm pads for comfort. Optional fixed cantilever arms.

E. BASE AND CASTERS

5 Star Heavy Duty Nylon Base with 2" carpet casters.

DIMENSIONS

Model 7280

Overall Width (Outer Modeat 2ର ବ୍ୟେଟେ armrest)	25″
Overall Depth (Front seat to back of back rest)	22"
Overall Height (Floor to top of back rest)	34"- 39"
Seat Width	20"
Back Width	18"

Back Height (From compressed seat)	20"
Arm Width (Inner arm pad to inner arm pad)	19"
Arm Height (Compressed seat to top of armrest)	6" - 10"
Seat Height	17" - 22"
Seat Depth	19"

135 EC1 Conference Chair

The EC1 is a classic conference chair with a simple style to enhance any boardroom aesthetic.





135 EC1 Conference Chair

FEATURES



A. LUMBAR SUPPORT

Static lumbar support located at 5.5" to 17" above compressed seat height.

B. MECHANISM

Sleek, synchronous mechanism with pneumatic height adjustment, swivel, and tension control.

C. SEAT DEPTH ADJUSTMENT

For those requiring more leg support.

D. ENERSORB™

Our ENERSORB[™] foam seat enhances comfort and durability.

E. FIXED ARMS

Fixed nylon arms.

F. BASE AND CASTERS

5 star black nylon base with 2" dual wheel carpet casters.

DIMENSIONS

Model 135

Overall Width (Outer armrest to outer armrest)	26.5"
Overall Depth (Front seat to back of back rest)	21"
Overall Height (Floor to top of back rest)	36"- 41"
Seat Width	20"
Back Width	20"

Back Height (From compressed seat)	21.5"
Arm Width (Inner arm pad to inner arm pad)	20"
Arm Height (Compressed seat to top of armrest)	8"
Seat Height	17" - 22"
Seat Depth	19" - 21"

335 EC3 Conference Chair

The EC3 evokes a clean aesthetic and polished feel. With it's full-back and spring support system built into the molded foam, the EC3 combines ergonomic support with modern style.



335

335D





335 EC3 Conference Chair

FEATURES



MODEL 335D



/IRGINIA CORRECTIONAL ENTERPRISES

A. INTERGRATED HEADREST

Extra support for your neck and back to ease bodily fatigue. (Model 335D)

B. LUMBAR SUPPORT

Full back spring system built into the molded foam for dynamic support. Lumbar support from 5.5" to 19" range (Model 335 and 335D) provides upper thoracic (23"-30").

C. POLISHED ALUMINUM ARMS

Sleek, contoured arms with polyurethane or optional leather/vinyl arm pads provide user comfort and support.

D. BASE AND CASTERS

5-prong, polished aluminum base with 3" dual-wheel carpet casters.

E. MECHANISM

Our sleek, synchro-tilt swivel mechanism features multi-position tilt lock with slow release, pneumatic height adjustment, and side tension control.

F. OPTIONAL 3D ADJUSTABLE ARMS

Arms are height-adjustable with lockable swivel and forward/backward arm pad adjustment. Arms are capped with polyurethane arm pads for durability and support. (Model 335D-A)

DIMENSIONS

Model 335

Overall Width (Outer armrest to outer armrest)	25"
Overall Depth (Front seat to back of back rest)	22"
Overall Height (Floor to top of back rest)	37.5" - 40.75"
Seat Width	20"
Back Width	19"
Back Height (From compressed seat)	23"
Arm Width (Inner arm pad to inner arm pad)	20"
Arm Height (Compressed seat to top of armrest)	Fixed Arm - 9" Adjustable Arm - 8"-12"
Seat Height	16.5"-20"
Seat Depth	19"



Model 335D

Overall Width (Outer armrest to outer armrest)	25″		
Overall Depth (Front seat to back of back rest)	22"		
Overall Height (Floor to top of back rest)	44" - 47.5"		
Seat Width	20"		
Back Width 19"			
Back Height (From compressed seat)	30″		
Arm Width (Inner arm pad to inner arm pad)	20"		
Arm Height (Compressed seat to top of armrest)	Fixed Arm - 9" Adjustable Arm - 8"-12"		
Seat Height	16.5"-20"		
Seat Depth	19"		





24/7HD Speciality Chair

This heavy duty chair accommodates individuals up to 450 pounds 3 shifts a day, and is ideal for EMS workers, police officers and any multi-shift work environments. It fits most body types and sizes.



24/7hd

24/7hd-HR



Virginia Correctional Enterprises

24/7HD Speciality Chair

FEATURES



MODEL 24/7hd-HR



/IRGINIA CORRECTIONAL ENTERPRISES

A. ADJUSTABLE HEADREST

Easily adjust height and tilt for optimal neck/back support. (Model 24/7hd-HR)

B. WATERFALL SEAT

Waterfall seat design gently slopes away from the legs, minimizing pressure on the thighs and promoting good posture.

C. LUMBAR SUPPORT

Compound curved back and built-in lumbar support provides the user with exceptional ergonomic support and comfort. Static lumbar support of 5.5" - 20".

D. ADJUSTABLE ARMS

Height and width adjustable arms with dense polyurethane arm pad for durability.

E. SOLID BUILD

Steel reinforced seat and back support, oversized cast aluminum base with 3" dual wheel carpet casters and heavy duty pneumatic lift.

F. MECHANISM

Swivel-tilt mechanism with infinity position tilt lock, seat depth adjustment, pneumatic height adjustment and tension control.

G. COMFORT

High density, high resiliency, dual density foam with ENERSORB[™] seat topper.

DIMENSIONS

Model 24/7hd

Overall Width (Outer armrest to outer armrest)	26.5" - 31"		
Overall Depth (Front seat to back of back rest)	22" - 25"		
Overall Height (Floor to top of back rest)	37.5" - 42.5" 21.5" 22"		
Seat Width			
Back Width			
Back Height (From compressed seat)	24"		
Arm Width (Inner arm pad to inner arm pad)	19.5" - 24" est) 8" - 12"		
Arm Height (Compressed seat to top of armrest)			
Seat Height	17" - 22"		
Seat Depth	19" - 22"		



Model 24/7hd-HR

Overall Width (Outer armrest to outer armrest)	26" - 31"		
Overall Depth (Front seat to back of back rest)	22" - 25"		
Overall Height (Floor to top of back rest)	48.5" - 53.5"		
Seat Width	21.5″		
Back Width	22"		
Back Height (From compressed seat)	35"		
Arm Width (Inner arm pad to inner arm pad)	19.5" - 24"		
Arm Height (Compressed seat to top of armrest)	8" - 12"		
Seat Height	17" - 22"		
Seat Depth	19" - 22"		





6200HD CXO HD Speciality Chair

Still the most comfortable chair in the world, but engineered with greater strength and durability for weight demand up to 450 lbs.





6200HD CXO HD Speciality Chair

FEATURES



MODEL 6200Dhd



IRGINIA CORRECTIONAL ENTERPRISES

A. ADJUSTABLE HEADREST

Optional headrest with Enersorb[™] foam adjusts up/down and pivots backwards with an innovative coat hook built into it's design. Headrest is field installable. (Model 6200D HD)

B. MESH BACK

Mesh back with ABLEX[™] patterned weave provides generous lumbar support while allowing dynamic movement. Air flows freely through this breathable mesh for added comfort in any environment.

C. LUMBAR SUPPORT

The contoured lumbar support pad with Enersorb[™] foam can be easily adjusted up and down and in and out for personalized support and comfort. (4" vertical range and 2" depth range to increase/decrease support)

D. HEIGHT/ WIDTH ADJUSTABLE ARMS

Easy to use adjustable arms with lockable vertical and horizontal movments for individual comfort.

E. ENERSORB™

Enersorb[™] seat, lumbar and headrest foam disperses applied pressure evenly to reduce pressure points.

F. MECHANISM

Slow release synchronous knee tilt mechanism, complete with intuitive side tension control, infinite position tilt lock, height adjustment pneumatic lift and an intuitive integrated seat slider for depth adjustment

DIMENSIONS

Model 6200HD

Overall Width (Outer armrest to outer armrest)	26" - 29"	
Overall Depth (Front seat to back of back rest)22" - 24		
Overall Height (Floor to top of back rest) 37.5" - 42		
Seat Width	21"	
Back Width	22" 23"	
Back Height (From compressed seat)		
Arm Width (Inner arm pad to inner arm pad)	17" - 20.5"	
Arm Height (Compressed seat to top of armrest)	7" - 11.5"	
Seat Height	17" - 22"	
Seat Depth	19.22"	



Model 6200DHD

Overall Width (Outer armrest to outer armrest)	26" - 29"		
Overall Depth (Front seat to back of back rest)	22" - 24"		
Overall Height (Floor to top of back rest)	46" - 52"		
Seat Width	21″		
Back Width	22"		
Back Height (From compressed seat)	30" - 32"		
Arm Width (Inner arm pad to inner arm pad)	17" - 20.5"		
Arm Height (Compressed seat to top of armrest)	7" - 11.5"		
Seat Height	17" - 22"		
Seat Depth	19.22″		





9000HD SHERMAN Speciality Chair

Sherman HD is designed for a 24-hour, 3-shift/day environment. The chair offers maximum comfort, support, and durability for active office spaces and users up to 450 lbs.





9000HD SHERMAN Speciality Chair

FEATURES



A. FOLD AWAY ARMS

Heavy duty steel fold away arms that are width and height adjustable. Arm folds forward or back to a 90° with the chair. Topped with ultra-comfortable polyurethane arm pads.

B. LUMBAR SUPPORT

Static Lumbar Support Located at 5.5" to 12.5" above compressed seat height.

C. MECHANISM

Swivel mechanism with infinite position tilt lock, seat depth adjustment, pneumatic height adjustment, and tension control.

D. BASE AND CASTERS

28" 5 star structurally engineered base with 3" casters or glides. HD9000DS features a height adjustable foot ring.

E. HEAVY DUTY

Reinforced steel seat and back bar. Weight rating of 450 lbs. and designed for 24/7 applications. Oversized molded foam seat pan with waterfall edge.

MODEL HD9000



DIMENSIONS

Model HD9000

Overall Width (Outer armrest to outer armrest)	29" - 32"		
Overall Depth (Front seat to back of back rest)	22" - 24"		
Overall Height (Floor to top of back rest)	41.5" - 47"		
Seat Width	23"		
Back Width	22"		
Back Height (From compressed seat)	24"		
Arm Width (Inner arm pad to inner arm pad)	21" - 24"		
Arm Height (Compressed seat to top of armrest)	8" - 12"		
Seat Height	17.5" - 22"		
Seat Depth Adjustment	2" range		



Overall Width (Outer armrest to outer armrest)	29" - 32"		
Overall Depth (Front seat to back of back rest)	22" - 24"		
Overall Height (Floor to top of back rest)	44" - 52"		
Seat Width	23"		
Back Width	22"		
Deals Haisht			
Back Height (From compressed seat)	24"		
-	24" 21" - 24"		
(From compressed seat) Arm Width			
(From compressed seat) Arm Width (Inner arm pad to inner arm pad) Arm Height	21" - 24"		





6000-DS LXO STOOL Speciality Chair

One chair, multiple functions. Perfect for working, meeting, or training. The LXO's[™] lightweight and well-proportioned design is the new standard for ergonomic affordable seating.





6000-DS LXO STOOL Speciality Chair

FEATURES



DIMENSIONS

Model 6000DS

Overall Width (Outer ආතාස ක් කියින් සිංහා armrest)	26" 21"	
Overall Depth (Front seat to back of back rest)		
Overall Height (Floor to top of back rest)	39.5"- 47.5"	
Seat Width 20"		
Back Width	18.5″	

A. LUMBAR SUPPORT

Static Lumbar Support Located at 5.5" to 15" above compressed seat height. Back Features Ablex Mesh with built-in integral flex lumbar.

B. MECHANISM

Synchronous tilt mechanism with multi-position tilt-lock, pneumatic height adjustment, tension control, and seat depth adjustment.

C. ABLEX MESH

Allows air to pass freely and moves with you, providing dynamic comfort in all environments.

D. ARMS

Easy to use, height adjustable arms with intuitive finger-tip trigger for individual comfort and support. The arms can be manually adjusted for horizontal width. Super soft polyurethane arm pads for comfort.

E. ADJUSTABLE FOOT RING

•••

F. BASE AND CASTERS

5 prong heavy duty nylon base. 2" mag wheel carpet casters .

Back Height (From compressed seat)	22.5"		
Arm Width (Inner arm pad to inner arm pad)	18" - 20"		
Arm Height (Compressed seat to top of armrest)	7.5" - 11.5"		
Seat Height	22" - 30"		
Seat Depth	Sacral Depth 19" - 21" (Lumbar Depth 16.9" - 18.9")		

1

7280-DS VXO STOOL Speciality Chair

The VXO[™] offers a simple, lightweight design that delivers remarkable comfort and dynamic support. Its easy to adjust lumbar support keeps you focused on what's at hand.





7280-DS VXO STOOL Speciality Chair

FEATURES



A. LUMBAR SUPPORT

Static Lumbar Support Located at 5.5" to 14" above compressed seat height. Independent adjustable lumbar support with 4" vertical range.

B. NEBULA MESH

Opaque Nebula Mesh back.

C. ARMS AND ARM PADS

Spring loaded height adjustable arms (4" range) with polyurethane arm pads for comfort. Optional fixed cantilever arms.

D. ADJUSTABLE FOOT RING

•••

E. BASE AND CASTERS

5 Star Heavy Duty Nylon Base with 2" carpet casters.

DIMENSIONS

Model 7280DS

Overall Width (Outer Model 23 ଟ୍ରେଟ୍ଟେବ armrest)	26" - 27"
Overall Depth (Front seat to back of back rest)	26"
Overall Height (Floor to top of back rest)	37.5"- 45.5"
Seat Width	
Back Width	

Back Height (From compressed seat)	
Arm Width (Inner arm pad to inner arm pad)	
Arm Height (Compressed seat to top of armrest)	
Seat Height	20.5" - 28.5"
Seat Depth	

6401 NXO Stackable Chair

The NXO[™] chair is a nesting, stacking, and storing chair that provides comfort, versatility, and style to any workplace. Available in classic or eye-catching colours, it is well-suited to any of your workspace needs.

DIMENSIONS

Model	Description	Overall Width	Overall Depth	Overall Height	Seat Height	Weight
6401	Nesting Chair	22.5"	24"	34"	17.5″	25 lbs



6401

Shown nested and stacked



6401 NXO Stackable Chair

FEATURES



A. RECLINING FLEX BACK

A supportive dual-hexagonal torsion bar system for a unique reclining motion expectional ergonomic support & comfort for the user.

B. LUMBAR SUPPORT

Located at 5.5" to 12.5" above compressed seat height.

C. SLOPED FIXED ARM

6" at lowest point, 8" at highest point.

D. SPACE SMART

Folding seats allow the chair to nest horizontally or stacked vertically atop one another for a smart storage solution.

E. BASE AND CASTERS

4-leg standard carpet casters or glides.

Note: multiple aesthetic and functional options available.

MODEL 6401



6501 OXO Guest Chair

The OXO[™] side chair offers minimalist beauty, performance, and unprecedented comfort. Add a modern spark to any office or home with OXO[™], which automatically adjusts to the user's movements to support good posture.

DIMENSIONS

Model	Description	Overall Width	Overall Depth	Overall Height	Seat Height	Weight
6501	Four Legged with Arms Guest All Mesh	25.5"	26"	35.5"	18.5"	22 lbs
6502	Sled Base with Arms Guest All Mesh	26"	26"	35.5"	18.5"	23 lbs







6501 OXO Guest Chair

FEATURES



A. LUMBAR SUPPORT

Located at $5\frac{1}{2}$ " to 16" above compressed seat height.

B. FIXED ARM

Comfortable fixed polyurethane arm pads.

C. SEAT AND BACK

Translucent ABLEX[™] mesh back and seat for cool comfort. Optional upholstered memory foam seat available. Dynamic articulating back provides exceptional ergonomic back and lumbar support.

D. BASE

4 Leg base standard with non-marring floor glides.

Note: multiple aesthetic and functional options available.

MODEL 6501



DIMENSIONS DISCLAIMER

Dimensions are subject to change without notice. Dimensions may have a variance of up to 0.5".

TEXTILE DISCLAIMER

MPIC only upholsters with top quality materials.

MPIC has made every effort to represent the colors and textures of these textiles, vinyls and leathers as accurately as possible. However, we cannot guarantee 100% accuracy, due to variations that occur in the printing process.



VIRGINIA CORRECTIONAL ENTERPRISES

To place an order or receive a quote please contact customer care at:

t: 800-823-2823 www.goVCE.net